



# HENRY & STARK COUNTY HEALTH DEPARTMENT

4424 US Hwy 34, Kewanee, IL 61443 309-852-0197  
103 1<sup>st</sup> St., Colona, IL 61241 309-792-4011

**Public Health**  
Prevent. Promote. Protect.

[www.henrvstarkhealth.com](http://www.henrvstarkhealth.com)

## COTTAGE FOOD OPERATIONS – (FREQUENTLY ASKED QUESTIONS)

Under the Public Act 097-0393 (Senate Bill 840) food that is not potentially hazardous may be produced in the kitchen of the person's primary domestic residence for **direct sale to customers at farmers' markets**. The Public Act only provides for **direct sale by the owner or the family member to customers at farmers' markets**. Thus, **cottage food operation products cannot be sold to retail stores, restaurants, over the internet, by mail order, or to wholesalers, brokers or other food distributors who resell food**. A cottage food operation shall comply with the labeling requirements of the Illinois Food, Drug and Cosmetic Act. <http://www.ilga.gov/legislation/ilcs/ilcs3.asp?ActID=1577&ChapterID=35>

### TYPES OF FOOD PRODUCTS ALLOWED FOR SALE

**What products that are made in a home kitchen can be sold under the "cottage food operation" provisions?**

Food that is not a potentially hazardous such as baked goods, jam, jelly, preserves, fruit butter, dry herbs, dry herb blends or dry tea blends and that is intended **for end-use only, shall be sold by the owner or a family member** using safe food handling practices that reduce risk of contamination.

#### *Jams, Jellies and Preserves:*

The following jams, jellies and preserves are allowed: apple, apricot, grape, peach, plum, quince, orange, nectarine, tangerine, blackberry, raspberry, blueberry, boysenberry, cherry, cranberry, strawberry, red currant or a combination of these fruits.

The presence of low sugar or sugar substitute in jams, jellies and preserves, can make a difference in the shelf stability of the product. With lower sugar and pectin levels, spoilage organisms are more likely to survive the cooking process. The best practice for low sugar jams and jellies is that they be processed only in a boiling water canner for a minimum of ten minutes and not by any other methods unless water activity is determined by a commercial lab to be less than 0.85.

Other jams, jellies, or preserves not listed may be produced if the cottage food operator's recipe has been tested and documented by a commercial laboratory (at the expense of the cottage food operation) as being not potentially hazardous, containing a pH equilibrium of less than 4.6. (See prohibited items).

### *Fruit Butters:*

The following fruit butters are allowed: apple, apricot, grape, peach, plum, quince, and prune. Fruit butters not listed may be produced if the cottage food operator's recipe has been tested and documented by a commercial laboratory (at the expense of the cottage food operation) as being not potentially hazardous, containing a pH equilibrium of less than 4.6. (See prohibited items).

### *Baked Goods:*

The following baked goods, including, but not limited to the following, are allowed: breads, cookies, cakes, pies and pastries. Only high-acid fruit pies that use the following fruits are allowed: apple, apricot, grape, peach, plum, quince, orange, nectarine, tangerine, blackberry, raspberry, blueberry, boysenberry, cherry, cranberry, strawberry, red currants or a combination of these fruits. Fruit pies not listed may be produced if the cottage food operator's recipe has been tested and documented by a commercial laboratory (at the expense of the cottage food operation) as being not potentially hazardous, containing a pH equilibrium of less than 4.6. (see prohibited items).

### *Dried Foods:*

The following dried foods are allowed: dried herbs, dried herb blends, or dry tea blends.

### *Prohibited Items:*

The following items are prohibited from production and sale by a cottage food operation: pumpkin pie, sweet potato pie, cheesecake, custard pies, and cream pies, as well as pastries with potentially hazardous fillings or toppings. Pumpkin, banana, and pear butters are not allowed. Also, rhubarb, tomato, pepper and watermelon jellies or jams are not allowed.

### **Can cottage food operators sell a “take-n-bake product?”**

No. These products would require temperature control to prevent bacterial growth and are not allowed for sale by a cottage food operation.

## **MARKETING COTTAGE FOOD OPERATION PRODUCTS**

### **Where can “cottage foods” be sold?**

**Products can only be sold at farmers' markets**, which are defined by the Public Act as a “common facility or area where farmers gather to sell a variety of fresh fruits and vegetables and other locally produced farm and food products, directly to consumers.”

### **Can products be sold at a year-round or indoor farmers' market?**

Yes, as long as the products meet the “cottage food” requirements of the Public Act.

### **Can products be sold at retail outlets (i.e., local grocery stores or retail markets)?**

No, the Food Handling Regulation Enforcement Act “cottage food operations” provisions clearly identify farmers' markets as the only venue where “cottage food” products may be sold. Cottage foods cannot be sold to a retailer for resale or to a restaurant for use or sale in the restaurant. Cottage foods cannot be sold over the internet, by mail order, or to wholesalers, brokers or other food distributors who will resell the cottage foods.

## TESTING AND DOCUMENTING BY A COMMERCIAL LABORATORY

### What is a commercial laboratory?

A commercial laboratory is a laboratory which performs fee for service analysis. It accepts samples from the public. Such a laboratory may be certified in one or more categories of accreditation. The Illinois Department of Public Health laboratories will not perform these services.

### Which commercial laboratories do food testing?

A list of laboratories that conduct food testing is included in Attachment A. This list is not all inclusive and the operator may do an Internet search for commercial labs that perform food testing.

### What food testing is involved with the testing and documenting of a recipe?

Any product that is not listed as allowed in the jam, jelly, preserve, fruit butter or baked goods shall be tested and documented by a commercial laboratory, at the expense of the cottage food operation, as being not potentially hazardous, containing a pH equilibrium of less than 4.6.

### Does each product need to be tested and documented?

Yes, each product that is not listed as allowed shall be tested and documented.

### If a cottage food operation has already had their product tested and documented as being not potentially hazardous, and they want to give their recipe to another cottage food operation, does the recipe have to be approved again?

No, if documentation is available and no change to the recipe has been made. However, if no documentation is available or changes to the recipe have been made, testing would be required.

## LABELING REQUIREMENTS

### What information must be included on the label of a cottage food product?

The basic information that must be on the label is as follows:

- Name and address of the cottage food operation.
- The common or usual name of the food product (All capital letters or upper/lower case are both acceptable).
- The ingredients of the cottage food product, including any colors, artificial flavors, and preservatives, listed in descending order of predominance by weight. If you use a prepared item in your recipe, you must list the sub ingredients as well. For example: soy sauce is not acceptable, soy sauce (wheat, soybeans, salt) would be acceptable, please see the label below for further examples.
- The following statement: **“This product was produced in a home kitchen not subject to public health inspection that may also process common food allergens.”**
- The date the product was processed.
- Allergen labeling as specified in federal labeling requirements.

<http://www.fda.gov/Food/GuidanceComplianceRegulatoryInformation/GuidanceDocuments/FoodLabelingNutrition/FoodLabelingGuide/default.htm>

Here is an example of a label:

**THIS PRODUCT WAS PRODUCED IN A HOME KITCHEN  
NOT SUBJECT TO PUBLIC HEALTH INSPECTION THAT MAY ALSO PROCESS  
COMMON FOOD ALLERGENS**

**Chocolate Chip Cookie**

Net Wt. 3 oz (85.05 g)

Ingredients: Enriched flour (Wheat flour, niacin, reduced iron, thiamine, mononitrate, riboflavin and folic acid), butter (milk, salt), chocolate chips (sugar, chocolate liquor, cocoa butter, butterfat (milk), Soy lecithin as an emulsifier), walnuts, sugar, eggs, salt, artificial vanilla extract, baking soda

Contains: wheat, eggs, milk, soy, walnuts

Artie Pinkster

123 Foodstuff Lane

Casserole City, IL 60000

Production Date: 10/19/2011

Hand-printed labels are acceptable if they are clearly legible, written with durable, permanent ink, and printed large enough to be easily read.

In addition, at the point of sale a placard must be displayed in a prominent location that states the following: "This product was produced in a home kitchen not subject to public health inspection that may also process common food allergens."

**What does allergen labeling, as specified in federal labeling requirements, mean?**

It means the operator must identify if any of the ingredients are made from one of the following food groups: milk, eggs, fish, crustacean shellfish, tree nuts (such as almonds, pecans or walnuts), wheat, peanuts, and soybeans. So, if there is an ingredient made with a wheat based product, the operator has the following two options:

1. Include the allergen in the ingredient list. For example, a white bread with the following ingredient listing: whole wheat flour, water, salt and yeast. In this example, the statement 'whole wheat flour', meets the requirements of federal law.
2. Include an allergen statement ("Contains:") after the ingredient list. For example a white bread, with the following ingredients: whole wheat flour, water, sodium caseinate, salt and yeast. Contains wheat and milk.

The "Contains" statement must reflect all the allergens found in the product. In this example, the sodium caseinate comes from milk.

**Are there any special requirements for tree nuts labeling for allergens?**

Yes, if the cottage food product has tree nuts as an ingredient you must identify which tree nut you are using. For example, if you made Nut Bread, an acceptable ingredient list would be:

Ingredients: wheat flour, water, almonds, salt, yeast.

The following would not be acceptable:

Ingredients: flour, water, nuts, salt, yeast.

**Does the cottage food operator have to include home address on product labeling or is a post office box sufficient?**

**The physical address of the home kitchen must be on the product label**, not a post office box. The purpose of including an address on product labels is to be able to locate the business in case of a recall or traceback associated with a foodborne illness complaint or outbreak. The Public Act specifies that the name and address of the business of the cottage food operation shall be included on the label.

## **COTTAGE FOOD OPERATION REGISTRATION**

**Does the cottage food operation have to be registered with the local health authority?**

Yes, the cottage food operation shall register with the local health department (LHD) where the cottage food operation resides. Failure to register with the LHD will subject the cottage food operation to regulation by IDPH and/or IDOA.

Out of state cottage food operations are not allowed as the Public Act only applies to businesses where the home kitchen (primary domestic residence) is physically located in Illinois.

If a cottage food operation cannot meet the requirements of the Public Act, they would fall under current regulation by IDPH, IDOA and LHD as a retail food operation.

**Does the cottage food operator need to be certified as a Food Service Sanitation Manager?**

Yes, the person preparing and selling products as a cottage food operation must have an Illinois Food Service Sanitation Manager Certification, 410 ILCS 4(b)(6). Courses can be found on the IDPH website at the following link: <http://dph.illinois.gov/fssmccourses>

## **OTHER RESOURCES**

FDA – A Food Labeling Guide [www.fda.gov](http://www.fda.gov)

National Center for Home Food Preservation [www.uga.edu/nchfp/](http://www.uga.edu/nchfp/)

The University of Georgia, Cooperative Extension, “Preserving Food: Processing Jams and Jellies”. Attachment B

Attachment A  
Commercial Laboratories – Food Testing

This list is not all inconclusive and IDPH does not endorse any of the following laboratories.

**2011**

Food Testing

Covance Laboratories  
3301 Kinsman Boulevard  
Madison, WI 53704  
Phone (608) 241-4471  
[www.covance.com/food](http://www.covance.com/food)

Food Safety Net Services, LTD  
199 W. Rhapsody  
San Antonio, TX 78216  
Phone (210) 308-0675  
Grand Prairie Lab  
Phone (972) 602-2078  
Phoenix Lab  
Phone (602) 385-4030  
Green Bay Lab  
Phone (920) 465-4165  
[www.foodsafetynet.com](http://www.foodsafetynet.com)

ABC Research Corp  
3437 SW 24<sup>th</sup> Ave.  
Gainesville, FL 32607-4502  
Phone (352) 372-0436  
[www.abcr.com](http://www.abcr.com)

Toxin Technology  
7165 Curtiss Ave.  
Sarasota, FL 34231-8012  
Phone (941) 925-2032  
[www.toxintechnology.com](http://www.toxintechnology.com)

Exova (FPL)  
12003 N.E. Ainsworth Circle  
Suite 105  
Portland, OR 97220  
Phone (800) 375-9555  
[www.exova.com](http://www.exova.com)

Deibel Labs  
103 S. 2<sup>nd</sup> Street  
Madison, WI 53704  
Phone (608) 241-1177  
[www.deibellabs.com](http://www.deibellabs.com)

Q Laboratories Inc.  
1400 Harrison Ave.  
Cincinnati, OH 45214  
Phone (513) 471-1300  
[www.qlaboratories.com](http://www.qlaboratories.com)

Metro Diversified labs  
10024 W. Roosevelt Rd.  
P.O. Box 7608  
Westchester, IL 60154  
Phone 708 865-1400

Deibel Labs (Main Lab)  
7120 N. Ridgeway Ave.  
Lincolnwood, IL 60712  
Phone (847) 329-9900  
[www.deibellabs.com](http://www.deibellabs.com)

Key Laboratory Services  
2363 E. Federal Dr.  
Decatur, IL 62526  
Phone (217) 875-2691  
[www.keylaboratory.com](http://www.keylaboratory.com)

Accugen Labs  
50 W. 75<sup>th</sup> Street, Suite 209  
Willowbrook, IL 61527  
Phone (630) 789-8105  
[www.accugenlabs.com](http://www.accugenlabs.com)

Silliker Labs  
111 E. Wacker Drive  
Chicago, IL 60601-3713  
Phone (312) 938-5151  
[www.silliker.com](http://www.silliker.com)

Attachment B  
Preserving Food:  
Processing Jams and Jellies

Even though sugar has a preservative action in jams and jellies, molds can still grow and spoil these products. Mold growth causes product to be lost when it occurs. In addition, some research indicates that mold growth on fruit products may not always be as completely harmless as believed in the past. USDA and the Cooperative Extension are endorsing a boiling water canning process for jams and jellies which will make the potential for mold spoilage as small as possible. The cost of ingredients is high enough to make any preventable loss unacceptable.

Paraffin or wax sealing jars is no longer considered an equally acceptable choice for any sweet spread, including jellies. Any pinholes, shrinkage or cracks in the wax paraffin allow airborne molds to contaminate and grow on the product. In addition, leaks or holes in the paraffin can allow product to seep out during storage. Once on the surface, this seeping product will provide nutrients for molds to grow on the surface and enter into the jam or jelly in the jar.

**Follow These Steps in Making Jam or Jelly at Home:**

1. Prepare the boiling water canner before starting to cook the jam or jelly. Fill the canner at least half full with clean, warm water. Enough water is needed so that the level will be 1 to 2 inches over the tops of the filled jars once they are added. Center the canner over the burner. The burner and range should be level. If the jars are to be pre-sterilized (see the next step), do not heat the water before adding the empty jars. If the jars will not be pre-sterilized, preheat the water to about 180 degrees F. (simmering) to prepare for processing filled jars. The water should not be boiling when it is time to add the filled jars.

Wash Mason canning jars (half-pint or pint size) in hot water with detergent and rinse well by hand, or wash in a dishwasher. If directions call for pre-sterilized jars, sterilize the cleaned jars by boiling them completely submerged in boiling water for 10 minutes. The easiest way is to stand the empty jars upright on a rack in a boiling water canner filled with clean water. There should be enough water to fill the jars and still come to a level 1-2 inches above the tops of the jars. Bring the water to a boil for 10 minutes. (If you are at an altitude of 1000 feet or more, add 1 minute of sterilizing time for each 1000 feet of altitude.) Keep the jars in the hot water until they are ready to be filled. If you do not pre-sterilize jars, keep the washed, rinsed jars hot until they are filled.

3. Prepare the canning jar lids according to the manufacturer's recommendations.
4. Prepare the jam or jelly according to recipe directions. Boil for the recommended time in the recipe and then quickly skim off foam (if needed or desired).

5. Remove pre-sterilized jars from the hot water one at a time, tilting them to quickly empty them into the canner. To make sure they are completely drained, they may be turned upside down on a clean towel on the countertop. Fill either the pre-sterilized or hot, clean jars quickly with the hot jelly or jam mixture, leaving ¼ inch headspace. Wipe the sealing surface of the jars with a clean paper towel, dampened with hot water, to remove any jelly, jam or sugar crystals. Adjust lids.

Work quickly to insure that the filled jars stay as hot as possible until all are filled and ready to load into the canner for processing. However, remember the jam or jelly mixture is very hot and take precautions not to burn yourself.

6. Load the filled jars, fitted with lids, into the canner one at a time, using a jar lifter. Make sure the jar lifter is securely positioned below the neck of the jar and ring band. Keep the jar upright at all times. Tilting the jar could cause the hot jelly or jam mixture to spill into the sealing area of the lid, which should remain clean and undisturbed. The water in the canner can be close to boiling when the jars are added, if you have made sure the filled product has remained very hot until the canner load is ready.
7. Turn the burner under the canner to its highest heat setting, cover the canner with its lid and heat until the water comes to a full boil. If the jars were pre-sterilized, boil the jam or jelly gently for 5 minutes. If hot, clean jars were used, process the jam or jelly for 10 minutes. (If you are at an altitude of 1000 feet or more, add 1 minute of sterilizing time for each 1000 feet of altitude.) The water level in the canner should be 1 to 2 inches above the tops of the jars. The water in the canner must remain boiling during the entire 5- or 10- minute process time, so keep a tight lid on the canner.
8. When the jars have been processed in boiling water for the recommended time, turn off the heat and remove the canner lid. Wait 5 minutes before removing jars from the canner to allow the boiling and jar contents to settle. This waiting period is not required for safety of the food, however.
9. Remove jars from canner; use a jar lifter and keep jars upright. Carefully place them directly onto a towel or cake cooling rack, leaving at least one inch of space between the jars during cooling. Avoid placing the jars on a cold surface or in a cold draft.
10. Cool jars upright for 12 to 24 hours while vacuum seal is drawn and the jam or jelly sets up. Let the jars sit undisturbed while they cool. When using the standard two-piece metal canning lid system, do *not* tighten ring bands on the lids. Also, do not push down on the center of the flat metal lid until the jar is completely cooled. For other lid systems, follow the manufacturer's directions.
11. Remove ring bands from sealed jars. Put any unsealed jars in the refrigerator and use first.
12. Wash jars and lids to remove all residues. Label and store in a cool, dry place out of direct light.

### *Do I have to pre-sterilize the jars?*

If the jars are not pre-sterilized, the process time in the boiling water canner is 10 minutes. (At altitudes of 1000 feet or more, add 1 minute of sterilizing time for each 1000 feet of altitude.) Jars should still be washed in hot water with detergent and rinsed well by hand, or washed in a dishwasher, and kept warm until they are ready to be filled.

Pre-sterilization of jars (and thus the five minute process time) is preferred when the fruits may not be naturally high in pectin, since the longer process time in the canner without pre-sterilized jars may weaken these gels.

### *Are there other methods of sealing jars?*

Some other methods of sealing jars call for inverting a closed, filled jar of hot product for anywhere from thirty seconds to one hour. (Inverting is turning the filled jar upside down on its lid.) While this inversion process can be successful in producing a sealed jar, it works best with very hot product. Individual variation in practicing this procedure or unexpected interruptions can result in delays between filling jars, getting lids screwed on, and inverting the jars. If the product cools down too much, the temperature of the product can become low enough to no longer be effective in sealing jars or preventing spoilage.

When the inversion process does work, the vacuum seals of filled jars still tend to be weaker than those produced by a short boiling water canning process. A larger amount of retained oxygen in the headspace may allow some mold growth if airborne molds contaminated the surface of the product as the jar was filled and closed. More complete removal of oxygen from the headspace also offers some longer protection from undesirable color and flavor changes with some types of fruit products. A weak seal may be more likely to fail during storage.

The canning process is therefore a more foolproof method of making jams and jellies that will not spoil. In addition, although no cases of burning have been reported in the news media, experience has shown that some people will experience leaking of the hot product from the jar when it is turned over if the lid wasn't put on just right. If hot enough, someone could get burned. Even if it doesn't cause burns, leaking means product is lost.

### *Should I worry about mold?*

But is there a safety hazard in some molding of a jam or jelly? The best answer is that there is a *potential* risk. However, we want to make a recommendation that minimizes all potential problems and hazards. Some molds growing on fruit products made at home have been shown to produce "mycotoxins", or mold poisons. The danger to humans from consuming mycotoxins, as well as the actual expected incidence of mycotoxins from moldy jars of jams, are issues with no easy answers. But, animal studies indicate there is the potential for poisonous effects of some mycotoxins in humans. Patulin is one mycotoxin detected in a few tested jars of homemade apple jam and juice. Patulin has been shown to be carcinogenic in animals, but its role in causing human disease is not all that clear. It is also difficult to assess the actual health risk from consuming moldy jam or jelly because not all molds produce mycotoxins, and molds which do produce them vary in consistency of production when conditions change some.

Nevertheless, the USDA advice for handling moldy jars of jam or jelly is to discard the contents of the whole jar. (See “Molds on Food: Are They Dangerous,” USDA-FSIS, retrieved June 6, 2011 from [http://www.fsis.usda.gov/Fact\\_Sheets/Molds\\_On\\_Food/index.asp](http://www.fsis.usda.gov/Fact_Sheets/Molds_On_Food/index.asp) and [http://www.fsis.usda.gov/PDF/Molds\\_on\\_Food.pdf](http://www.fsis.usda.gov/PDF/Molds_on_Food.pdf).)

### **Summary**

Because we are interested in recommending jam and jelly making procedures that offer the highest quality, the least health and safety risks, and the lowest chance of losing product, all Extension recommendations for jams and jellies include a boiling water canning process for room temperature storage of sealed jars. Standard canning jars used with self-sealing flat metal lids and ring bands, pre-sterilization of clean canning jars, hot filling of product into the jars, and processing for 5 minutes in a boiling water canner are recommended for highest quality and to prevent mold growth.